

Tehničke karakteristike artikla: BK0852032F

Plastična vrata+okvir za 3-rednu raz.tablu BK085...

Plastična vrata+okvir za 3-rednu razvodnu tablu BK085...



SCHRACK-Info

- 1- to 4-row frames with transparent plastic door
- Series BK085
- DIN-rails and module cover included
- For completion, one wall box is necessary:
 - 1- to 4-row for solid wall or partition wall
- Material Frame + Door: 1 mm ABS
- Protection class: II
- Degree of protection: IP40
- Impact resistance: IK07
- Frame: RAL 9003 (Signal white)
- Door: Transparent




Tehnički podaci

Neto širina (mm)	346,00
------------------	--------

Tehnički podaci - nastavak

Neto visina (mm)	592,00
Neto dubina (mm)	36,00
Neto težina (kg)	2,00
EAN	9004840890068
Gubitak snage (W)	-44,00
Min. temperatura okoline (°C)	-25
Maks. temperatura okoline (°C)	60
Bezhalogeni	Da
IP stepen zaštite	IP40
Klasa zaštite	2
Otpornost na udar	IK07

Dimensions Frame with Plastic Door Transparent



OPIS	Kat. broj
Plastična vrata+okvir za 3-rednu raz.tablu BK085...	
Plastična vrata+okvir za 3-rednu razvodnu tablu BK085...	BK0852032F