

Tehničke karakteristike artikla: BK0852042F

Plastični okvir za BK085 4-reda, providna vrata, IP40

Za zidne kutije 4-redna BK0850042A (čvrsti zid) and BK0850542A (pregradni zid), umetci i zavrtnji uključeni, ABS, bez halogena, klasa zaštite II boja okvira RAL 9003



SCHRACK-Info

- 1- to 4-row frames with transparent plastic door
- Series BK085
- DIN-rails and module cover included
- For completion, one wall box is necessary:
 - 1- to 4-row for solid wall or partition wall
- Material Frame + Door: 1mm ABS
- Protection class: II
- Degree of protection: IP40
- Impact resistance: IK07
- Frame: RAL 9003 (Signal white)
- Door: Transparent



Tehnički podaci

Tehnički podaci - nastavak

Neto širina (mm)	347,00
Neto visina (mm)	717,00
Neto dubina (mm)	36,00
Neto težina (kg)	3,00
EAN	9004840937961
Gubitak snage (W)	-60,00
Min. temperatura okoline (°C)	-25
Maks. temperatura okoline (°C)	60
Bezhalogeni	Da
IP stepen zaštite	IP40
Klasa zaštite	2
Otpornost na udar	IK07

Plastični okvir za BK085 4-reda, providna vrata, IP40

Za zidne kutije 4-redna BK0850042A (čvrsti zid) and BK0850542A (pregradni zid), umetci i zavrtnji uključeni, ABS, bez halogena, BK0852042F
klasa zaštite II boja okvira RAL 9003