

Tehničke karakteristike artikla: BK090204--

Nadgradna tabla 36M 2 redna IP65

UV zaštita, 1000VDC; Plastika ABS, 2x18MW, V=464 Š=432 D=160, 1x N+PE (22x16mm²)



SCHRACK-Info

- Nazidni razdjelnik s prozirnim vratima
- Zatvaranje: mehanizam na pritisak, mogućnost ugradnje male cilindar brave
- Uvod kabela kroz gumene membrane
- Sadrži N/PE sabirnice
- Bez halogena
- Klasa zaštite II
- UV postojan
- Nazivni napon: 400V AC, 1000V DC
- Temperatura okoline: -25°C do +85°C
- Materijal: ABS

- Stupanj zaštite: IP65
- Otpornost na udarce: IK08
- Boja: RAL7035 (svijetlo-siva)

Tehnički podaci

Neto širina (mm)	432,00
Neto visina (mm)	464,00
Neto dubina (mm)	160,00
Neto težina (kg)	3,96
EAN	9004840817942
Gubitak snage (W)	-35,00
Min. temperatura okoline (°C)	-25
Maks. temperatura okoline (°C)	85

Tabela artikla

OPIS	Kat. broj
Nadgradna tabla 36M 2 redna IP65 UV zaštita, 1000VDC; Plastika ABS, 2x18MW, V=464 Š=432 D=160, 1x N+PE (22x16mm ²)	BK090204
Dodatni pribor	
Okrugli cilindar za BK09, IP65 za nazidne razdjelnike	BK090097