

Tehničke karakteristike artikla: HSATG662M-

SAT Orman 600x600x200 (VxŠxD), metalni, perforirana mont.ploča

RAL7035



SCHRACK-Info

Mounting plate: with 3 mm diameter openings in a 5 x 5 mm grid.

Tehnički podaci

Neto širina (mm)	600,00
Neto visina (mm)	600,00
Neto dubina (mm)	200,00

Tehnički podaci - nastavak

Neto težina (kg)	10,00
Min. temperatura okoline (°C)	0
Maks. temperatura okoline (°C)	40

Lista fajlova: SAT Orman 600x600x200 (VxŠxD), metalni, perforirana mont.ploča

A [mm]


B [mm]

C [mm]

Gewicht netto [kg]

Gewicht brutto [kg]

Dimenzija: SAT Orman 600x600x200 (VxŠxD), metalni, perforirana mont.ploča



**Dimenzija: SAT Orman 600x600x200 (VxŠxD), metalni, perforirana
mont.ploča**





Tabela artikla

OPIS	Kat. broj
SAT Orman 600x600x200 (VxŠxD), metalni, perforirana mont.ploča RAL7035	HSATG662M
Dodatni pribor	
Četka za uvod kabla za nazidne ormane DW, 300x70mm 300x70 mm, samolepljiva, crna	HDZA0003
SAT multisklopka 5 ulaza 8 izlaza, kaskadna, SPU 58-09N	HSATS508KN
SAT multisklopka 5 ulaza 16 izlaza, kaskadna, SPU 516-09N	HSATS516KN
SAT uzemljenje+prenap. zašt., 5x F-kon., 5x odv., QEW 5-10N	HSZUEU05AN
SAT multisklopka 9 ulaza 12 izlaza, kaskadna, SPU 912-09S	HSATS912KS
SAT uzemljenje sa pren. zaštitom, 9x dvostruki F-konektori	HSZUEU09A
SAT uzemljenje s prenaponskom zaštitom, 9xF, QEW 9-10S	HSZUEU09S