




Tehničke karakteristike artikla: HSELS085FG

FO Splice box 19", 8 vlakna, FC adapteri, 50/125um OM2

RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM



SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

Properties Housing:

- 19", 1 U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open

Standards:

50173-1, EN 61300-3-6, EN 61300-3-51

Tehnički podaci

Neto širina (mm)	482,50
Neto visina (mm)	43,60
Neto dubina (mm)	211,50
Neto težina (kg)	2,70
Opis boje	RAL 7035 (svetlo siva)
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	70
Vlakno	50/125µ OM2 multimode
Broj vlakana	8
Spojnicica/konektor	FC

Dimension drawing



Tabela artikla

OPIS	Kat. broj
FO Splice box 19", 8 vlakna, FC adapteri, 50/125um OM2	HSELS085FG
RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM	
Dodatni pribor	
Optička cevčica za zaštitu spoja 60mm	HELSP00011
Optička cevčica za zaštitu spoja 45mm	HELSP00010
FO Patch kabl, duplex, FC/FC, OM2, multimode, 50/125um, 2m	HLP25FF02F
FO Patch kabl, duplex, FC/FC, OM2, multimode, 50/125um, 5m	HLP25FF05F
FO Patch kabl, duplex, SC/FC, OM2, multimode, 50/125um, 2m	HLP25CF02F
FO Patch kabl, duplex, SC/FC, OM2, multimode, 50/125um, 5m	HLP25CF05F
FO Patch kabl, duplex, ST/FC, OM2, multimode, 50/125um, 2m	HLP25TF02F
FO Patch kabl, duplex, LC/FC, OM2, multimode, 50/125um, 2m	HLP25LF02F
FO Patch kabl, duplex, LC/FC, OM2, multimode, 50/125um, 5m	HLP25LF05F