


Tehničke karakteristike artikla: HSELS12SLP

FO Panel 19", sa 12 vlakana (6dx), LC, OM5, 1HU, sivi, CLASSIC

RAL7035 (svetlo siva), LC/UPC duplex, Class C



Schrack-Info

These spliceboxes are delivered assembled with already installed couplers and enclosed pigtails (all connectors come with ceramic ferrule).

The spliceboxes are depth-adjustable using the two 19" brackets.

The spliceboxes have one, two or four splice trays depending on the number of fibres with integral splice organisers for shrink-on splice protectors and is designed for up to 4 cable entries, equipped with one M20 cable entry by default.

Blind covers are used to close off unused cable entry ports.

Two versions for up to 48 fibres in a sliding tray design are available:

- with 24 LC-Duplex couplers
- with 24 SC-Duplex couplers
- Material: zinc-coated steel
- Installation: 19", 1U
- Dimensions W x H x D: 483 x 44 x 240mm
- Housing color: RAL7035 Light grey
- Color of couplers (LC and SC): Lime-green
- Dustcovers (LC and SC): Included

Tehnički podaci

Neto širina (mm)	480,00
------------------	--------

Tehnički podaci - nastavak

Neto visina (mm)	44,00
Neto dubina (mm)	242,00
Neto težina (kg)	2,53
Vlakno	50/125 OM5 Multimode
Opis boje	RAL 7035 (svetlo siva)
Gubitak insercije tipičan (dB)	< 0,2
Povratni gubitak tipičan (dB)	> 35
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	70
Broj vlakana	12

Tabela artikla

OPIS	Kat. broj
FO Panel 19", sa 12 vlakana (6dx), LC, OM5, 1 HU, sivi, CLASSIC RAL7035 (svetlo siva), LC/UPC duplex, Class C	HSLS12SLP
Dodatni pribor	
FO Splice cevčica, dužine 60mm, prozirna	HELSP00011
FO Splice cevčica, dužine 45mm, prozirna	HELSP00010
Alat za čišćenje FO adaptera/konektora "One-Click"(LC, MU) za UPC/APC	HSLSZT001
Tester FO signala (sa integrisanim VFL) i RJ45 tester kabla PAŽNJA: ovo je izvor svetla Laser klase 2. Nikada ne gledajte u izvor. Uvijek koristite pokrov na VFL portu kad nije u uporabi. Preporučujemo uporabu specijalnih naočala za rad s laserskim izvorima svetla.	HSLSZT003
FO Patch LC/UPC-LC/UPC, OM5, duplex, LS0H, lim. zeleni, 0.5m UPC-UPC, LS0H	HLP2SLL00F
FO Patch LC/UPC-LC/UPC, OM5, duplex, LS0H, lim. zeleni, 2m UPC-UPC, LS0H	HLP2SLL02F
FO Patch LC/UPC-LC/UPC, OM5, duplex, LS0H, lim. zeleni, 5m UPC-UPC, LS0H	HLP2SLL05F