


Tehničke karakteristike artikla: HSELS169LG

FO Panel 19", sa 16 vlakana (8dx), LC, OS2, 1HU, sivi, PREMIUM

RAL7035 (svetlo siva), LC/UPC duplex, Class B



SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

Properties Housing:

- 19", 1U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open

Standards:

50173-1, EN 61300-3-6, EN 61300-3-79

Tehnički podaci

Neto širina (mm)

482,50

Tehnički podaci - nastavak

Neto visina (mm)	43,60
Neto dubina (mm)	211,50
Neto težina (kg)	2,70
Vlakno	9/125 OS2 Singlemode / G.657.A1
Opis boje	RAL 7035 (svetlo siva)
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	70
Broj vlakana	16
Spojnicica/konektor	LC

Dimension drawing





Tabela artikla

OPIS	Kat. broj
FO Panel 19",sa 16 vlakana (8dx),LC,OS2,1HU,sivi,PREMIUM	HSELS169LG
RAL7035 (svetlo siva), LC/UPC duplex, Class B	
Dodatni pribor	
FO Splice cevčica, dužine 60mm, prozirna	HELSP00011
FO Splice cevčica, dužine 45mm, prozirna	HELSP00010
Alat za čišćenje FO adaptera/konektora "One-Click"(LC,MU)	HSELSZT001
za UPC/APC	

Tabela artikla

OPIS	Kat. broj
Dodatni pribor	
Tester FO signala (sa integrisanim VFL) i RJ45 tester kabla	
PAŽNJA: ovo je izvor svetla Laser klase 2. Nikada ne gledajte u izvor. Uvijek koristite pokrov na VFL portu kad nije u uporabi. Preporučujemo uporabu specijalnih naočala za rad s laserskim izvorima svetla.	HSELSZT003
FO Patch LC/UPC-LC/UPC, OS2, duplex, LS0H, žuti, 2m UPC-UPC, LS0H	HLP29LL02F
FO Patch LC/UPC-LC/UPC, OS2, duplex, LS0H, žuti, 5m UPC-UPC, LS0H	HLP29LL05F
FO Patch LC/UPC-SC/UPC, OS2, duplex, LS0H, žuti, 2m UPC-UPC, LS0H	HLP29LC02F
FO Patch LC/UPC-SC/UPC, OS2, duplex, LS0H, žuti, 5m UPC-UPC, LS0H	HLP29LC05F
FO Patch LC/UPC-FC/UPC, OS2, duplex, LS0H, žuti, 2m UPC-UPC, LS0H	HLP29LF02F