


Tehničke karakteristike artikla: HSELS169MP

FO Panel 19", sa 16 vlakana (8dx), LC/ APC, OS2, 1HU, sivi, CLASSIC

RAL7035 (svetlo siva), LC/APC duplex, Class C



Schrack-Info

Chassis

- Two pieces removable 19" holders. Depth adjustable up to 40mm
- Sliding tray design:
for 16 LC/APC Duplex couplers
- Blindcovers are used to cover unused openings
- Four openings for cable-gland

- Two fittings M22
- Material: Sheet steel, powder -coated, RAL 7035
- Sheet steel thickness:
 - Chassis: 1,0mm
 - Sliding tray: 1,25mm
 - Frontpanel: 1,4mm
 - 19" holder: 1,5mm

SPLICE-CASSETTES

- For shrink splice protectors
 - up to 12 fibres: 1 splice-cassette
 - up to 24 fibers: 2 splice-cassettes

STANDARDS

- EN 50173-1, EN 61300-3-6, EN 61300-3-34

Tehnički podaci

Neto širina (mm)	480,00
Neto visina (mm)	44,00
Neto dubina (mm)	242,00
Neto težina (kg)	2,53
Vlakno	9/125 OS2 Singlemode / G.652.D
Opis boje	RAL 7035 (svetlo siva)
Gubitak inseracije tipičan (dB)	< 0,2
Povratni gubitak tipičan (dB)	> 50
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	70
Broj vlakana	16

Tabela artikla

OPIS	Kat. broj
FO Panel 19", sa 16 vlakana (8dx), LC/APC, OS2, 1HU, sivi, CLASSIC RAL7035 (svetlo siva), LC/APC duplex, Class C	HSELS169MP
Dodatni pribor	
FO Splice cevčica, dužine 60mm, prozirna	HELSP00011
FO Splice cevčica, dužine 45mm, prozirna	HELSP00010

Tabela artikla

OPIS	Kat. broj
Dodatni pribor	
Alat za čišćenje FO adaptera/konektora "One-Click"(LC, MU) za UPC/APC	HSELSZT001
Tester FO signala (sa integrisanim VFL) i RJ45 tester kabla PAŽNJA: ovo je izvor svetla Laser klase 2. Nikada ne gledajte u izvor. Uvijek koristite pokrov na VFL portu kad nije u uporabi. Preporučujemo uporabu specijalnih naočala za rad s laserskim izvorima svetla.	HSELSZT003
FO Patch LC/APC-LC/APC, OS2, duplex, LS0H, žuti, 1 m APC-APC, LS0H	HLP29MM01F
FO Patch LC/APC-SC/APC, OS2, duplex, LS0H, žuti, 1 m APC-APC, LS0H	HLP29MD01F
FO Patch LC/APC-LC/APC, OS2, duplex, LS0H, žuti, 2 m APC-APC, LS0H	HLP29MM02F
FO Patch LC/APC-SC/APC, OS2, duplex, LS0H, žuti, 2 m APC-APC, LS0H	HLP29MD02F
FO Patch LC/APC-LC/APC, OS2, duplex, LS0H, žuti, 3 m APC-APC, LS0H	HLP29MM03F
FO Patch LC/APC-SC/APC, OS2, duplex, LS0H, žuti, 3 m APC-APC, LS0H	HLP29MD03F
FO Patch LC/APC-LC/APC, OS2, duplex, LS0H, žuti, 5 m APC-APC, LS0H	HLP29MM05F
FO Patch LC/APC-SC/APC, OS2, duplex, LS0H, žuti, 5 m APC-APC, LS0H	HLP29MD05F
FO Patch LC/APC-LC/APC, OS2, duplex, LS0H, žuti, 10 m APC-APC, LS0H	HLP29MM10F
FO Patch LC/APC-SC/APC, OS2, duplex, LS0H, žuti, 10 m APC-APC, LS0H	HLP29MD10F