



Tehničke karakteristike artikla: HSELSK09MR

FTTH Adapter LC/APCdx OS2, bez bočne prirubnice, zeleni

LC/APC duplex, bez bočne prirubnice



Tehnički podaci

Neto širina (mm)	19,00
Neto visina (mm)	10,00
Neto težina (kg)	0,01
Kombinacija utičnica	LC/APC
Vlakno	9/125 OS2 Singlemode / G.657.A2
Opis boje	zeleno
Gubitak insertacije tipičan (dB)	≤0,2
Min. temperatura okoline (°C)	-40
Maks. temperatura okoline (°C)	75
Proizvod	spojnica

Dimenzija: FTTH Adapter LC/APCdx OS2, bez bočne priрубnice, zeleni




Tabela artikla

OPIS	Kat. broj
FTTH Adapter LC/APCdx OS2, bez bočne priрубnice, zeleni LC/APC duplex, bez bočne priрубnice	HSELSK09MR
Dodatni pribor	
FTTH Nazidna utičnica, za 4 vlakna, prazna, 80x80x28mm, IP45 RAL9010 (čisto bela), mogućnost DIN montaže, IP45	HSELDA40WP
FTTH Pigtail LC/APC, OS2, G657.A2, u bojama, 1m, CLASSIC, 4 komada CLASSIC, Easy Strip, LS0H	HLP09M041P
FO Pigtail LC/APC, OS2, u bojama, 2m, CLASSIC, 4 komada CLASSIC, Easy Strip	HLP09M042P
FO Pigtail LC/APC, OS2, u bojama, 2m, CLASSIC, 8 komada CLASSIC, Easy Strip	HLP09M082P
FO Pigtail LC/APC, OS2, u bojama, 2m, CLASSIC, 12 komada CLASSIC, Easy Strip	HLP09M122P