

Tehničke karakteristike artikla: IG545420T-

Poliester kućište sa providnim poklopcem, 540x540x201 mm



SCHRACK-Info

- Installation enclosure made of impact-resistant polyamide and GRP polyester (glass-fibre reinforced)
- Cover grey or transparent made of polycarbonate, cover screws made of polyamide
- Seal Polyurethane, fully insulated, halogen-free
- Protection class (EN 60529): IP66
- Impact resistance (EN 62262): IK09
- Self-extinguishing: Glow wire test 960°C
- RAL7035 Light grey
- Accessories: Bakelite or polyester mounting plates, intermediate frame (+62.5mm)



Tehnički podaci

Neto širina (mm)	540,00
Neto visina (mm)	540,00
Neto dubina (mm)	201,00
Neto težina (kg)	4,68

Tehnički podaci - nastavak

IP stepen zaštite	IP66
Materijal	GFK polikarbonat
Opis boje	RAL 7030
Širina (mm)	540
Visina (mm)	201

Tabela artikla

OPIS	Kat. broj
Poliester kućište sa providnim poklopcem, 540x540x201 mm	IG545420T
Dodatni pribor	
Montažna ploča, bakelit za kućište: 540x540mm	IG5454MP
Međuvokvir 540x540x62,5mm	IG5454ZR