

Tehničke karakteristike artikla: LI1008065-

Univerzalni DOWNLIGHT PHASE IP20 7W 2700/3000/4000/6500K 38

Ugradna svetiljka



Detalji artikla

Many qualities in one-this is how the SLV UNIVERSAL DOWNLIGHT is designed. The colour temperature can be quickly adjusted in four stages via CCT switch. The choice of 5 W or 7 W output is just as simple. And thanks to the lockable springs and Quick Connector Box, the downlight is quick and easy to install. In addition, the separately available covers in round or square and various colours allow the UNIVERSAL DOWNLIGHT to be used as a fixed downlight with IP65 or as a swivelling downlight with IP20.

Tehnički podaci

Tehnički podaci - nastavak

Neto dužina (mm)	85,00
Neto širina (mm)	85,00
Neto visina (mm)	57,00
Neto prečnik (mm)	85,00
Neto težina (kg)	0,26
Vrsta svetiljke (prema načinu primene)	Plafonska svetiljka ugradna
Način montaže	Plafonska ugradna
Opis boje	crno
Materijal	Čelik
Ugao emisije (°)	38
Nazivni napon AC (V)	220-240
Nazivna struja mA (mA)	60
Sijalično grlo	LED štampana ploča
Snaga (W)	7
Boja svetla	Neutralno bela Toplo bela Hladno bela
Temperatura boje (K)	2700 4000 6500 3000
Indeks reprodukcije boje	≥90
Svetlosni flux (lm)	690 680 670
Životni vek	50000
Dimabilno	Fazni presek (C)
Klasa zaštite	II
IP stepen zaštite	IP20
EEC	D
Klasa energetske efikasnosti	D
Ugradna dubina (mm)	70
Prečnik (mm)	85
ØxV mm	85x57
DxŠxV mm	85x85x57
Otvor (mm)	Ø 68
OTVOR mm	Ø 68

Tabela artikla

OPIS	Kat. broj
Univerzalni DOWNLIGHT PHASE IP20 7W 2700/3000/4000/6500K 38 Ugradna svetiljka	LI1008065
Dodatni pribor	
Univerzalni DOWNLIGHT pokrov za Downlight IP65 aluminium okrugli	LI1008069
Univerzalni DOWNLIGHT pokrov za Downlight IP65 crna kvadratna	LI1008096
Univerzalni DOWNLIGHT pokrov za Downlight IP65 bela okrugli	LI1008068
Univerzalni DOWNLIGHT pokrov za Downlight IP65 zlatna mat kvadratna	LI1008098
Univerzalni DOWNLIGHT pokrov za Downlight IP65 crna okrugli	LI1008067
Pokrov za univerzalni downlighter IP20 swivel angular alu Dekoratívne komponente	LI1007186
UNIVERSAL DOWNLIGHT pokrov ,crni Mehaničke komponente	LI1007091
Univerzalni DOWNLIGHT pokrov za Downlight IP65 zlatna mat okrugli	LI1008070
Univerzalni DOWNLIGHT pokrov za Downlight IP65 aluminium kvadratna	LI1008097
UNIVERSAL DOWNLIGHT pokrov ,aluminijum Mehaničke komponente	LI1007093
QUADRULO, zidna svetiljka, 3000K, antracit Dekoratívne komponente	LI1007194
Pokrov za univerzalni downlighter IP20 swivel angular Dekoratívne komponente	LI1007185
UNIVERSAL DOWNLIGHT pokrov ,beli Mehaničke komponente	LI1007092
Univerzalni DOWNLIGHT pokrov za Downlight IP65 bela kvadratna	LI1008095
Pokrov za univerzalni downlighter IP20 swivel angular crni Dekoratívne komponente	LI1007184
Pokrov za univerzalni downlighter IP65, round zlatni matt Dekoratívne komponente	LI1007191