


Tehničke karakteristike artikla: LI60111110

ALSF 650 ML BASIC 27/ 16W 2900/ 1800lm 830 IP54 PMMA svetiljka



Kriva prostiranja svetla




Tehnički podaci

Neto dužina (mm)	650,00
Neto širina (mm)	105,00
Neto visina (mm)	87,00
Neto težina (kg)	1,40
Min. temperatura okoline (°C)	-20
Maks. temperatura okoline (°C)	25
Opis boje	bela
Materijal	PMMA
Ugao emisije (°)	120

Tehnički podaci - nastavak

Nazivni napon AC (V)	220-240
Sistemska efikasnost (lm/W)	107
Snaga (W)	27
Temperatura boje (K)	3000
Indeks reprodukcije boje	80
Stabilnost boje MacAdam (sdcm)	3
Svetlosni flux (lm)	2900
Životni vek	50000
Dimabilno	Ne
Klasa zaštite	I
IP stepen zaštite	IP54
IK stepen zaštite	IK02
DxŠxV mm	650x105x87

Dimenzija: ALSF 650 ML BASIC 27/ 16W 2900/ 1800lm 830 IP54 PMMA svetiljka



OPIS

Kat. broj

ALSF 650 ML BASIC 27/16W 2900/1800lm 830 IP54 PMMA svetiljka

LI60111110