



Tehničke karakteristike artikla: LID11372--

Moonlight 380 E27 26W visilica IP54, bela **ECONOMY**

višeća svetiljka i kugla



Detalji artikla

E27 moonlight suitable for suspended or garden installation, IP54. Complies with standard EN60598-1 and any other specific standards.




Tehnički podaci

Dimabilno	U zavisnosti od izvora svetla
	Da
Klasa zaštite	II
IP stepen zaštite	IP54
Vrsta svetiljke (prema načinu primene)	Stone svetiljke
Izvor svetla	Sijalica Štedljiva sijalica LED Retrofit
Sijalica uključena	Ne
Broj svetiljki	1

Tehnički podaci - nastavak

Sijalično grlo	E27
Snaga (W)	15
Nazivni napon AC (V)	100-240
Ulazni napon AC (V)	100-240
Frekvencija (Hz)	50/60
Način montaže	Viseća Mobilno
Opis boje	bela
Materijal	PC
Pokrov	PC opal
Visina (mm)	380
Prečnik (mm)	380
Dodatni pribor	LIMD0027--; LID 13012--; LID 14500--; LID 16949--; LID 13106--
Potreban pribor	LID 13012--
ØxV mm	380x380
Neto visina (mm)	380,00
Neto prečnik (mm)	380,00
Neto težina (kg)	2,80

Dimenzija: Moonlight 380 E27 26W visilica IP54, bela



Dimenzija: Moonlight 380 E27 26W visilica IP54, bela




Tabela artikla

OPIS	Kat. broj
Moonlight 380 E27 26W visilica IP54, bela viseća svetiljka i kugla	LID11372
Potreban pribor	
LED sijalica, mat, E27, 10,5W, 2700K, 806lm 25 LAMPS	LID13012
Dodatni pribor	
LED Classic 8,8W 4000K 806lm E27 A60 270°, sa senzorom Svetiljka	LIMD0027
LED sijalica, mat, E27, 10,5W, 2700K, 806lm 25 LAMPS	LID13012
LED PAR30, 10W, E27, 4000K, 750lm, 230V, 40° Svetiljka	LID14500
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949
Emergency GU10 LED 3-8,5W 3h Ovaj set takođe funkcioniše i sa GU10 LED svetiljkama pogodnim za 180V DC napajanje (Emergency)	LID13106