


Tehničke karakteristike artikla: LID12350--

Marra LED traka 14,4W/m 60LEDs/m 1050lm/m 4000K 24VDC IP20 **ECONOMY**

LED Flexstrip, dimmable, 5 Meter Roll



Tehnički podaci

Vrsta izvora	LED traka
Montaža	Ugrađeno u pod Plafonsko nadgradna Montaža na zid
Materijal	PVC
Ugao emisije (°)	120
Nazivni napon AC (V)	24
Nazivni napon DC (V)	24
Izvor svetla	SMD LED
Watt/m (W/m)	14,40
Boja svetla	Neutralno bela
Temperatura boje (K)	4000
Indeks reprodukcije boje	≥75
Svetlosni fluks (lm/m)	1050

Tehnički podaci - nastavak

Životni vek (h)	50000
Dimabilno	da
Klasa zaštite	III
IPStepen zaštite	IP20
Klasa energetske efikasnosti	A
Sijalica uključena	da
DxŠxV mm	5000x10x3

Dimenzija: Marra LED traka 14,4W/m 60LEDs/m 1050m/m 4000K 24VDC IP20



Tabela artikla

OPIS	Kat. broj
Marra LED traka 14,4W/m 60LEDs/m 1050m/m 4000K 24VDC IP20 LED Flexstrip, dimmable, 5 Meter Roll	LID12350
Dodatni pribor	
7822/RGB, LED STRIP konektor za 7820/RGB	LID12345
7824/RGB, LED POWER CABLE za 7820/RGB	LID12347
7834, LED POWER SUPPLY CABLE za 7830 / 7831	LID12359
7832, LED STRIP konektor za 7830 / 7831	LID12358
Alu. ugradni profil 7912R/AL + PC opalni difuzor, 2 metra Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W	LID13865
Trouglasti aluminijumski profil 7908/AL+PC opalni difuzor 2m Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W	LID13862
Alu. profil 7906/AL+PMMA opalni kvadratni difuzor 2metra Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7820W, 7830W, 7831W, 7835W	LID13861
Beli ugradni profil 7904/W+PC opalni difuzor, 2 metra Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	LID14137
Alu. ugradni profil 7904R/AL + PC opalni difuzor, 2 metra Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	LID13860
Beli profil 7904/W+PC opalni difuzor, 2 metra Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	LID14135
Aluminijumski profil 7904/AL + PC opalni difuzor, 2 metra Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	LID13859
Trouglasti beli profil 7836T/W, 2 metra Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	LID12371
Trouglasti sivi profil 7836T/G, 2 metra Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	LID12370
Kvadratni slim beli profil 7836/W, 2 metra Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	LID12362
Sivi kvadratni profil 7836/G, 2 metra Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	LID12361