

Tehničke karakteristike artikla: LID13785--

Marra LED traka 14,4W/m 60LEDs/m 4000K 1030lm/m 24VDC IP68

LED traka, dimabilna, 5 metara rolna



Detalji artikla

Waterproof flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Boja svetla	Neutralno bela
Temperatura boje (K)	4000
Indeks reprodukcije boje	≥90
Dimabilno	U zavisnosti od driver-a Da
Klasa zaštite	III
IP stepen zaštite	IP68
EEC	F
Klasa energetske efikasnosti	F
Vrsta svetiljke (prema načinu primene)	LED traka
Sijalica uključena	Da
Sijalično grlo	LED štampana ploča

Tehnički podaci - nastavak

Sistemska efikasnost (lm/W)	81
Upravljačka oprema (napajanje)	Mora se poručiti odvojeno
Nazivni napon DC (V)	24
Ulazni napon DC (V)	24
Način montaže	Podna Plafonska nadgradna Montaža na zid
Materijal	Silikon
Dužina (mm)	5000
Širina (mm)	10
Dodatni pribor	LID16631--
Svetlosni fluks (lm/m)	1170

Tabela artikla

OPIS	Kat. broj
Marra LED traka 14,4W/m 60LEDs/m 4000K 1030lm/m 24VDC IP68 LED traka, dimabilna, 5 metara rolna	LID13785
Dodatni pribor	
Montažni nosač za LID16609 08 STRIPS & PROFILES	LID16631