


Tehničke karakteristike artikla: LID13877--

RFB LED plafonjera 18W, 3000K, 1350lm, 100-240V, IP54 bela

ECONOMY

LED zida i plafonska svetiljka



Detalji artikla

18W LED slim plafo, IP54, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Svetlosni flux (lm)	1350
Boja svetla	Toplo bela
Temperatura boje (K)	3000
Indeks reprodukcije boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stepen zaštite	IP54
Vrsta svetiljke (prema načinu primene)	LED plafo
Sijalica uključena	Da
Broj svetiljki	1

Tehnički podaci - nastavak

Sijalično grlo	LED štampana ploča
Ugao emisije (°)	120
Sistemska efikasnost (lm/W)	75
Faktor snage	0,9
Snaga (W)	18
Upravljačka oprema (napajanje)	LED drajver
Nazivni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Plafonska nadgradna
Opis boje	bela
Materijal	PC
Visina (mm)	42
Prečnik (mm)	300
Dodatni pribor	LID16949--
ØxV mm	300x42

Dimenzija: RFB LED plafonjera 18W, 3000K, 1350lm, 100-240V, IP54 bela




Tabela artikla

OPIS	Kat. broj
RFB LED plafonjera 18W, 3000K, 1350lm, 100-240V, IP54 bela LED zida i plafonska svetiljka	LID13877
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949