

Tehničke karakteristike artikla: LID13899--

Berry LED plafonjera 16W, 3000K, 960lm, 230V, IP65, antr **ECONOMY**

LED zida i plafonska svetiljka



Detalji artikla

16W LED plafo light, IP65, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Svetlosni flux (lm)	960
Boja svetla	Toplo bela
Temperatura boje (K)	3000
Indeks reprodukcije boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stepen zaštite	IP65
IK stepen zaštite	IK08
Vrsta svetiljke (prema načinu primene)	LED plafo
Sijalica uključena	Da

Tehnički podaci - nastavak

Broj svetiljki	1
Sijalično grlo	LED štampana ploča
Sistemska efikasnost (lm/W)	60
Faktor snage	0,9
Snaga (W)	16
Upravljačka oprema (napajanje)	LED drajver
Nazivni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Nazivna struja mA (mA)	550
Ulazna struja (A)	0,50
Frekvencija (Hz)	50/60
Način montaže	Plafonska nadgradna
Opis boje	antracit
Materijal	PC Plastika
Pokrov	PC opal
Visina (mm)	75
Prečnik (mm)	260
Dodatni pribor	LID16949--
ØxV mm	260x75

Dimenzija: Berry LED plafonjera 16W, 3000K, 960lm, 230V, IP65, antr



Tabela artikla

OPIS	Kat. broj
Berry LED plafonjera 16W, 3000K, 960lm, 230V, IP65, antr LED zida i plafonska svetiljka	LID13899
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949