


Tehničke karakteristike artikla: LID14487--

Daria II LED 21W, 3000K, 1300lm, IP65, antracit €ECONOMY

LED plafonska svetiljka



Detalji artikla

21W LED slim plafo, IP65, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Svetlosni flux (lm)	1300
Boja svetla	Toplo bela
Temperatura boje (K)	3000
Indeks reprodukcije boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stepen zaštite	IP65
IK stepen zaštite	IK08
Vrsta svetiljke (prema načinu primene)	Plafonska svetiljka nadgradna
Sijalica uključena	Da

Tehnički podaci - nastavak

Sijalično grlo	LED štampana ploča
Sistemska efikasnost (lm/W)	61
Faktor snage	0,9
Snaga (W)	21
Upravljačka oprema (napajanje)	LED drajver
Nazivni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Nazivna struja mA (mA)	550
Ulazna struja (A)	0,50
Frekvencija (Hz)	50/60
Način montaže	Plafonska nadgradna
Opis boje	antracit
Materijal	ABS PC
Pokrov	PC opal
Visina (mm)	63
Prečnik (mm)	320
Dodatni pribor	LID16949--
ØxV mm	320x63

Dimenzija: Daria II LED 21W, 3000K, 1300lm, IP65, antracit



Tabela artikla

OPIS	Kat. broj
Daria II LED 21W, 3000K, 1300lm, IP65, antracit LED plafonska svetiljka	LID14487
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949