

Tehničke karakteristike artikla: LID14530--

Anna Q LED 3W, 3000K, 190lm, IP65, 230V, antracit **ECONOMY**

LED plafonska svetiljka



Detalji artikla

3,5W LED wall light, IP65, ideal for both indoor and outdoor installation. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Svetlosni flux (lm)	250
Boja svetla	Toplo bela
Temperatura boje (K)	3000
Indeks reprodukcije boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stepen zaštite	IP65
IK stepen zaštite	IK08
Vrsta svetiljke (prema načinu primene)	Plafonska svetiljka zidna svetiljka

Tehnički podaci - nastavak

Sijalica uključena	Da
Sijalično grlo	LED štampana ploča
Sistemska efikasnost (lm/W)	71
Snaga (W)	3,50
Nazivni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Frekvencija (Hz)	50/60
Način montaže	Plafonska nadgradna Montaža na zid
Opis boje	antracit
Materijal	ABS PC
Dužina (mm)	124
Širina (mm)	124
Visina (mm)	27
Dodatni pribor	LID16949--
DxŠxV mm	124x124x27

Dimenzija: Anna Q LED 3W, 3000K, 190lm, IP65, 230V, antracit




Tabela artikla

OPIS	Kat. broj
Anna Q LED 3W, 3000K, 190lm, IP65, 230V, antracit LED plafonska svetiljka	LID14530
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949