

Tehničke karakteristike artikla: LID16891--

SL LED 10-20W 1200-2400lm 4000K CRI90 38° 230V IP20 bela

10W/15W/20W and 1200/1800/2400lm, trackspot



Detalji artikla

10W/15W/20W Adjustable power COB LED track spot, ideal for shops and showrooms._x000D_ Complete with driver.
Complies with standard EN60598-1 and any other _x000D_ specific standards.

Tehnički podaci

Svetlosni flux (lm)	1200/1800/2400
Boja svetla	Hladno bela
Temperatura boje (K)	4000
Indeks reprodukcije boje	≥90
Dimabilno	Ne
Klasa zaštite	II
IP stepen zaštite	IP20
Vrsta svetiljke (prema načinu primene)	Sabirnica svetiljka
Sijalica uključena	Da
Sijalično grlo	LED štampana ploča
Ugao emisije (°)	38
Sistemska efikasnost (lm/W)	120
Faktor snage	0,9

Tehnički podaci - nastavak

Snaga (W)	10; 15; 20
Upravljačka oprema (napajanje)	LED drajver
Nazivni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Nazivna struja mA (mA)	250/350/450
Frekvencija (Hz)	50/60
Način montaže	Montaža na sabirnicu
Opis boje	bela
Materijal	Aluminijum
Visina (mm)	90
Prečnik (mm)	80
Dodatni pribor	LID16898--; LID16899--; LID16900--; LID16904--; LID17012--
ØxV mm	80x90

Dimenzija: SL LED 10-20W 1200-2400lm 4000K CRI90 38° 230V IP20 bela




Tabela artikla

OPIS	Kat. broj
SL LED 10-20W 1200-2400lm 4000K CRI90 38° 230V IP20 bela 10W/15W/20W and 1200/1800/2400lm, trackspot	LID16891
Dodatni pribor	
Beli prsten za seriju SL LED 10-20W 09 TRACK LIGHTS	LID16898
Mesingani prsten za seriju SL LED 10-20W 09 TRACK LIGHTS	LID16899
Crni prsten za seriju SL LED 10-20W 09 TRACK LIGHTS	LID16900
Lens 15° SL LED, 10-20W Svetiljka	LID16904
Lens 24° SL LED, 10-20W Svetiljka	LID17012