

Tehničke karakteristike artikla: LID16896--

SL LED 20W-35W 2400-4200lm 4000K CRI90 38° 230V IP20 bela

20W/25W/30W/35W and 2400/3000/3600/4200lm, trackspot



Detalji artikla

20W/25W/30W/35W Adjustable power COB LED track spot, ideal for shops and showrooms._x000D_ Complete with driver. Complies with standard EN60598-1 and any other _x000D_ specific standards.

Tehnički podaci

Svetlosni flux (lm)	2400/3000/3600/4200
Boja svetla	Hladno bela
Temperatura boje (K)	4000
Indeks reprodukcije boje	≥90
Dimabilno	Ne
Klasa zaštite	II
IP stepen zaštite	IP20
Vrsta svetiljke (prema načinu primene)	Sabirnica svetiljka
Sijalica uključena	Da
Sijalično grlo	LED štampana ploča
Ugao emisije (°)	38
Sistemska efikasnost (lm/W)	120
Faktor snage	0,9

Tehnički podaci - nastavak

Snaga (W)	20/25/30/35
Upravljačka oprema (napajanje)	LED drajver
Nazivni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Nazivna struja mA (mA)	500/600/750/850
Frekvencija (Hz)	50/60
Način montaže	Montaža na sabirnicu
Opis boje	bela
Materijal	Aluminijum
Visina (mm)	100
Prečnik (mm)	100
Dodatni pribor	LID16902--; LID16901--; LID16905--; LID17013--
ØxV mm	100x100

Dimenzija: SL LED 20W-35W 2400-4200lm 4000K CRI90 38° 230V IP20 bela




Tabela artikla

OPIS	Kat. broj
SL LED 20W-35W 2400-4200lm 4000K CRI90 38° 230V IP20 bela 20W/25W/30W/35W and 2400/3000/3600/4200lm, trackspot	LID16896
Dodatni pribor	
Beli prsten za seriju SL LED 20-35W 09 TRACK LIGHTS	LID16902
Mesingani prsten za seriju SL LED 20-35W 09 TRACK LIGHTS	LID16901
Lens 15° SL LED, 20-35W Svetiljka	LID16905
Lens 24° SL LED, 20-35W Svetiljka	LID17013