



Tehničke karakteristike artikla: LIHGWA34--

Zeta LED zidna svetiljka Double 20W 1300lm 3000K ECG IP54

LED zidna dvostruka svetiljka za spoljašnju upotrebu




Kriva prostiranja svetla





Tehnički podaci

Neto dužina (mm)	273,00
Neto širina (mm)	123,00
Neto visina (mm)	163,00
Neto težina (kg)	1,32
Vrsta svetiljke (prema načinu primene)	zidna svetiljka
Opis boje	RAL 7016 (antracit)
Materijal	Aluminijum PMMA
Ugao emisije (°)	110
Nazivni napon AC (V)	220-240
Temperaturni okvir - Operativni (°C)	-20 to +40
Sijalično grlo	LED Platine
Sistemska efikasnost (lm/W)	65
Snaga (W)	20
Boja svetla	Toplo bela
Temperatura boje (K)	3000
Indeks reprodukcije boje	≥80
Svetlosni flux (lm)	1300
Životni vek	25.000h
Dimabilno	Ne
Klasa zaštite	I
IP stepen zaštite	IP54
IK stepen zaštite	IK03
Sijalica uključena	Da
DxŠxV mm	273x123x163
Broj svetiljki po osiguraču B10	15
Broj svetiljki po osiguraču B13	19
Broj svetiljki po osiguraču B16	24
Broj svetiljki po osiguraču C10	22
Broj svetiljki po osiguraču C16	36

Dimenzija: Zeta LED zidna svetiljka Double 20W 1300lm 3000K ECG IP54

OPIS	Kat. broj
Zeta LED zidna svetiljka Double 20W 1300lm 3000K ECG IP54	LIHGWA34
LED zidna dvostruka svetiljka za spoljašnju upotrebu	