

Tehničke karakteristike artikla: NLKMU013SC

Samostalna svetiljka KM autotest LED

1h/3h/8h 230VAC

Univerzalna montaža ,Baterija LiFePO₄, 4x0,5W HP LED 1h/3h/8h raspoznatljivost: 24m, 1h: 170lm; 3h: 170lm; 8h: 76lm





Tehnički podaci

Neto dužina (mm)	250,00
Neto širina (mm)	34,00
Neto visina (mm)	174,00
Neto težina (kg)	0,60
Vrsta svetiljke (prema načinu primene)	anti-panik svetiljka
VB-CPS	Sa sopstvenom baterijom
Funkcija	samokontrola
Verzija	Plastične svetiljke
Dizajn	KM
Bezhalogeni	Bez halogeno plastično kućište
Opis boje	RAL 9003 (bela)
Piktogram	Slide-in pictogram set (arrow left, right, bottom, top and white foil for single side use) included in accordance with ISO 7010
Područje prepoznavanja/domet (m)	24
Izvor svetla	LED (2W)
Lumen	170
Opseg napona (V)	230V AC 50Hz ±20%
Power maintained mode (W)	3,30
Power non-maintained mode (W)	1
Power max. (W)	4,60
Baterije (V/Ah)	3,2/3,0 LiFePO ₄

Tehnički podaci - nastavak

IP stepen zaštite	IP54
Otpornost na udar	IK03
Način montaže	Stropna ugradna opcija Univerzalna Plafonska nadgradna Montaža na zid
Min. temperatura okoline (°C)	-5
Maks. temperatura okoline (°C)	40
AA Klasa E 8101	AA4
Proizvođač	Schrack

Dimensions (mm)



Drilling distances (mm)





Tabela artikla

OPIS	Kat. broj
Samostalna svetiljka KM autotest LED 1h/3h/8h 230VAC	NLKMU013SC
Univerzalna montaža ,Baterija LiFePO4, 4x0,5W HP LED 1h/3h/8h raspoznatljivost: 24m, 1h: 170lm; 3h: 170lm; 8h: 76lm	
Dodatni pribor	
Cevni nosač hromirani, 2m, montaža na plafon	NLDSA000
Sajla za ovešanje 2000mm, 1 kom	NLCORD2
Sajla za ovešanje 4000mm, 1 kom	NLCORD4
Zaštitna rešetka za serije KD, KM, KS, LM, VM, RI, RM	NLBALL1
I x h x d: 320 x 220 x 120mm	
Visilica dizajnirana za KS, KM panike, 500mm bela, ožičena	NL2DWKMKS
Suitable for design KS, KM, KMB in self contained version with LiFePO4 battery	
Bat. 3,2V 3,0Ah LiFePO4 za samodrž. LED svet. KSC,KMB i ZAW	NLAKKU3230
LiFePO4 baterija, UN3480 - Li-Ion baterije, kompatibilne s aku 3,2V 3,3Ah	
Zidni nosač beli za svetiljke dizajna KM/KS	NLAWKSU