

Tehničke karakteristike artikla: NLWERW29EL

Protiv - panična svetiljka WER ERT-LED 1x1W 230V AC/DC EL

zidna montaža, s nadzorom - centralno uključivanje i isključivanje



Tehnički podaci


Neto dužina (mm)	90,00
Neto visina (mm)	90,00
Neto dubina (mm)	21,00
Neto težina (kg)	0,18
Vrsta svetiljke (prema načinu primene)	sigurnosna rasveta
VB-CPS	Za centralni panik uređaj (CPS)
Funkcija	sa nadzorom - centralno ON/OFF
Verzija	Metalna svetiljka
Dizajn	WER
Opis boje	RAL 9003 (bela)
Izvor svetla	ERT-LED (1W)
Lumen	140
Opseg napona (V)	230V AC 50Hz ±20%; 230V DC ±20%
Power maintained mode (W)	2,10
Power non-maintained mode (W)	0,70
Power max. (W)	2,10
IP stepen zaštite	IP20
Otpornost na udar	≥ IK03
Način montaže	Zidno ugradno
Min. temperatura okoline (°C)	-20
Maks. temperatura okoline (°C)	40
AA Klasa E 8101	AA4

Tehnički podaci - nastavak


Proizvođač

Schrack


Dimensions (mm)



Floor plan illumination for wall mounting with mounting height 2,0m, maintenance factor 0,8



**Floor plan illumination for wall mounting with mounting height 0,5m,
maintenance factor 0,8**



OPIS	Kat. broj
Protiv - panična svetiljka WER ERT-LED 1x1W 230V AC/DC EL zidna montaža, s nadzorom - centralno uključivanje i isključivanje	NLWERW29EL